Publication of Unexamined Utility Model Application

Publication Number: \$ 59-728

Container

A container for loading materials and for storing them in shelves characterized in that a U-shaped baseplate having stopper plates for preventing cargo collapsing is fixed on the underframe of the container, near the both end of the stopper plate, an arm is fixed with a roller, the roller is fixed at a point which is the same level as the bottom of the underframe or is slightly higher than the bottom of the underframe, and a handle is fixed between two arms or on the stopper plate.

Explanation of marks in the Figure

1: underframe

4: baseplate

5,5a: stopper plate for preventing cargo collapsing

6∼6c: arm 7∼7c: roller 9,9a: handle

BEST AVAILABLE COPY

⑩ 日本国特許庁 (JP)

①実用新案出願公開

[®] 公開実用新案公報 (U)

昭59-728

©Int. Cl.³ B 65 D 6/00 19/42

識別記号

庁内整理番号 6552-3E 6552-3E

❸公開 昭和59年(1984)1月6日

審査請求 未請求

(全 2 頁)

ூコンテナ

②実 願 昭57—95873

②出 願 昭57(1982)6月28日

⑩考 案 者 高橋征司

川崎市多摩区中野島1084番地株 式会社キトー内

の出 願 人 株式会社キトー

川崎市多摩区中野島1084番地

個代 理 人 弁理士 木村三朗

砂実用新案登録請求の範囲


材料を積載しで棚へ格納するためのコンテナに おいて、

台枠上に、前後に立設した荷期防止板を備えたコ字状の台板を固定し、前記荷期防止板の両側付近にそれぞれアームを固定して酸アームにその路面が前記台枠の底面と同一平面又は僅かに高い位置にあるようにそれぞれローラを装着すると共に、


前記アーム間又は荷崩防止板にそれぞれ取手を固定したことを特徴とするコンテナ。 図面の簡単な説明

第1図は本考案実施例の平面図、第2図は正面 図、第3図は側面図、第4図は本考案実施例要部 の側面図、第5図はその正面図である。

1:台枠、4:台板、5, 5a:荷崩防止板、6~6c:アーム、7~7c:ローラ、9, 9a:取手。



第2図



第3図

BEST AVAILABLE COPY

